




Script generated by TTT

Title: Distributed_Applications (16.04.2013)

Date: Tue Apr 16 14:29:58 CEST 2013

Duration: 90:54 min

Pages: 17



Generated by Targeteam



Internet computing



Networks of heterogeneous computers, applications using shared resources which are geographically dispersed, information communication (i.e. improved information flow), and activity coordination.


Examples are:

- online flight-reservation
- distributed money machines
- audio/video conferencing applications, e.g. Microsoft Netmeeting (see the application domain "Computer-supported Cooperative Work"), Internet telephony (e.g. Skype)
- World Wide Web
- Grid Computing
 - use the resources of many separate computers connected by a network to solve large-scale computation problems, e.g. [SETI@home](#): Search for Extraterrestrial Intelligence.
- Social software
 - sharing of private information and collaborative tagging, e.g. Blogs, Flickr, YouTube, Twitter, Facebook
- Massively multiplayer online games MMOGs)
 - a very large number of users interact through the Internet with a persistent virtual world

Generated by Targeteam



Enterprise Computing



Enterprise computing systems

close, direct coupling of application programs running on multiple, heterogeneous platforms in a networked environment.

- These systems must be completely integrated and very reliable, in particular
 - information consistency, even in case of partial system breakdown.
 - security and guaranteed privacy.
 - adequate system response times.
 - high tolerance in case of input and hardware/user errors (fault tolerance).
 - autonomy of the individual system components.





Variety of domains for distributed applications

collaborative information spaces, workflow management, telecooperation, autonomous agents

Development of computer technology

Internet computing

Enterprise Computing

Generated by Targeteam



The following factors contribute to the increasing importance of distributed systems:

Decrease of processor and storage cost.

High bandwidth networks

Insufficient and often unpredictable response times of mainframe systems

Growing number of applications with complex information management and complex graphical user interfaces.

Growing cooperation and usage of shared resources by geographically dispersed users; caused by the globalization of markets and enterprises,

e.g. applying telecooperation (groupware, CSCW) and mobile communication to improve distributed teamwork.

Informal definition

Methods of distribution

In the following sections, we will focus on the latter three types of distribution, in particular on the processing distribution.

Generated by Targeteam



The term **distributed system** may be defined informally:

1. after **Tanenbaum** : a distributed system is a collection of independent computers which appears to the user as a single computer.
2. after **Lamport** : a distributed system is a system that stops you from getting any work done when a machine you've never heard of crashes.
- 3.

Definition: We define a **distributed system** as one in which hardware and software components located at networked computers

communicate and

coordinate their actions mainly by passing messages.



Generated by Targeteam



There are five fundamental methods of distribution:

1. Hardware components.
2. Load.
3. Data.
4. Control, e.g. a distributed operating system.
5. Processing, e.g. distributed execution of an application.

Generated by Targeteam





Motivation

[Properties of distributed systems](#)

[Challenges of distributed systems](#)

[Examples for development frameworks](#)

Generated by Targeteam

The design of distributed systems poses a number of challenges

Heterogeneity applies to networks, computer hardware, operating systems, programming languages and implementations by different programmers.

Use of **middleware** to provide a programming abstraction masking the heterogeneity of the underlying system.

middleware provides a uniform computational model for use by the programmers of servers and distributed applications.

middleware examples are [Corba](#) , Java [RMI](#) .

Openness requires standardized interfaces between the various resources.

Scalability : adding new resources to the overall system.

Security : for information resources.

Privacy : protect user profile information.

Generated by Targeteam



There is a high motivation to use standardized development frameworks for the design and implementation of distributed applications.

[Sun Network File System \(NFS\)](#) by SUN

a distributed file system behaving like a centralized file system.

Open Network Computing (ONC) by SUN

platform for distributed application design; it contains libraries for [remote procedure call \(RPC\)](#) and for [external data representation \(XDR\)](#) .

distributed applications in ODP (Open Distributed Processing) by ISO

specification of the interfaces and the component behavior.

[Common Object Request Broker Architecture \(CORBA\)](#) by OMG

defines a common architecture model for heterogeneous environments based on the object-oriented paradigm.

Java 2 Platform Enterprise Edition (J2EE) by Sun, e.g. [RMI](#)

component-based Java framework providing a simple, standardized platform for distributed applications; runtime infrastructure and a set of Java API's.

[.NET](#) framework of Microsoft

middleware platform especially for Microsoft environments

consists of a class library and a runtime environment

incorporates the distributed component object model (DCOM)

a **set of cooperating, interacting functional units**

reasons for distribution: **parallelism** during the execution, **fault tolerance** , and **inherent distribution** of the application domain.

Definition

Programmer's perspective

Interfaces help to establish well-defined interaction points between the components of a distributed application.

[Interfaces of a distributed application](#)

[Interface specification](#)

[Distributed application vs. parallel program](#)

Generated by Targeteam



a *set of cooperating, interacting functional units*

reasons for distribution: *parallelism* during the execution, *fault tolerance*, and *inherent distribution* of the application domain.

Definition

Programmer's perspective

Interfaces help to establish well-defined interaction points between the components of a distributed application.

[Interfaces of a distributed application](#)

[Interface specification](#)

[Distributed application vs. parallel program](#)

Generated by Targeteam



a *set of cooperating, interacting functional units*

reasons for distribution: *parallelism* during the execution, *fault tolerance*, and *inherent distribution* of the application domain.

Definition

Programmer's perspective

Interfaces help to establish well-defined interaction points between the components of a distributed application.

[Interfaces of a distributed application](#)

[Interface specification](#)

[Distributed application vs. parallel program](#)

Generated by Targeteam



Although distributed applications might look similar to parallel programs at first glance, there are still some differences.

	distributed application	parallel program
granularity	coarse	fine
data space	private	shared
failure handling	within the communication protocols	not considered

Generated by Targeteam



Xerox PARC experimented in the 1970's with distributed applications (Alto workstation, Ethernet).

book of Ken Birman (chap 27) gives a brief overview of a number of distributed systems, e.g. Amoeba, NavTech, Totem, Argus, etc.

[Mach](#)

[Sun Network File System \(NFS\)](#)

[Java 2 Platform Enterprise Edition \(J2EE\)](#)


[Google](#)

Generated by Targeteam



The process (a task) defines an execution environment that provides secured access to system resources such as virtual memory and communication channels.


A process consists of a set of threads.



threads as distribution unit, i.e. only entire threads are assigned to different processors.

memory objects realize virtual storage units; shared utilization of memory objects by different processes is based on "Copy-on-Write", i.e. the memory object is copied when write operation takes place.

Processes communicate through communication channels, called **ports**.



A port is realized as a message queue to which multiple senders may send messages; there is only one receiving process per queue.

Ports are protected by capabilities.

Mach supports network communication through network servers.

